



# PHILGEPS

Philippine Government Electronic Procurement System

Central Portal for  
Philippine Government  
Procurement Opportunities

## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number:** 8684263  
**Procuring Entity:** NATIONAL MUSEUM - MANILA METRO MANILA  
**Title:** SUPPLY & DELIVERY OF REPAIR ITEMS FOR NM BATANES AREA MUSEUM  
**Area of Delivery:** Balanes

<b>Solicitation Number:</b>	REQUEST FOR QUOTATION NO. BAC 2022-21	<b>Status</b>	Active
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	2
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	1
<b>Category:</b>	Construction Materials and Supplies	<b>Date Published</b>	21/05/2022
<b>Approved Budget for the Contract:</b>	PHP 900,000.00	<b>Last Updated / Time</b>	21/05/2022 00:00 AM
<b>Delivery Period:</b>	35 Day/s	<b>Closing Date / Time</b>	26/05/2022 10:00 AM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Edwin J. Dela Rosa Head, BAC Secretariat P. Burgos St. Ermita Manila Metro Manila Philippines 1000 63-02-2981100 Ext.1014 bac@nationalmuseum.gov.ph		

#### Description

REQUEST FOR QUOTATION NO. BAC 2022-21

SUPPLY & DELIVERY OF REPAIR ITEMS FOR NM BATANES AREA MUSEUM

The National Museum of the Philippines (NMP), through the Bids and Awards Committee (BAC) Secretariat, Support Procurement Unit (SPU), invites all eligible suppliers/merchants/contractors to bid for the project mentioned above. Bids received in excess of the ABC shall be automatically rejected.

The procurement will be conducted through Alternative Mode of Procurement – Negotiated Procurement, Section 53.9 (Small Value Procurement) of the 2016 Revised IRR of R.A. 9184 otherwise known as the "Government Procurement Reform Act".

Approved Budget for the Contract (ABC): (Php 900,000.00)

Please see attached Technical Specifications.

Bids must be duly received by the BAC Secretariat SPU through manual submission at the office address indicated below. LATE BIDS SHALL NOT BE ACCEPTED.

In view thereof, the BAC Secretariat SPU requests the submission of your Price Quotation/Bid Proposal for the above project on or before May 26, 2022, not later than 10:00 A.M. Kindly place your quotation/bid proposal in a SEALED ENVELOPE together with three (3) copies of the following documentary requirements:

- PhilGEPS Registration Number;
- Mayor's/Business Permit;
- DTI Certificate/SEC Registration Certificate;
- Latest Income Tax (paid through the BIR EFPs with BIR Stamp); and
- Revised Omnibus Sworn Statement (duly Notarized with seal).

The envelope shall bear the following:


- Title of the project to be bid;
- PhilGEPS Posting Reference Number;
- Name, Address, and Contact Number of the bidder; and
- Addressed to the Information Indicated below.

The NMP reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35,6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders

For further information, please refer to:

Mr. Edwin J. dela Rosa,  
 Head - BAC Secretariat  
 2/F, BAC Room, North Annex of the  
 National Museum of Fine Arts Building (Motorpool),  
 Padre Burgos Street, Manila 1000  
 Tel. No. 8298-1100 Local 1014

(SGD)  
EDWIN J. DELA ROSA  
Head - BAC Secretariat  
Bids and Awards Committee



**Created by** Edwin J. Dela Rosa

**Date Created** 20/05/2022

The PHIGEPS team is not responsible for any typographical errors or misinformation presented in the system. PHIGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2022 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)




PAMBANSANG MUSEO NG PILIPINAS  
NATIONAL MUSEUM OF THE PHILIPPINES

Facilities Management Division

## SUPPLY & DELIVERY OF REPAIR ITEMS FOR NM BATANES AREA MUSEUM

Uyugan, Batanes



**I. BACKGROUND**

The National Museum Batanes Area Museum located in Barangay Imnajbu, Uyugan, Batanes was a former site of the Old United States Coast Guard Station(USCG) Structures therein were rehabilitated to further extend the Museum's services for gallery exhibition, educational spaces and research facilities for the public viewers, students, and NMP's researchers/stakeholders respectively. Due to age of the structures which were erected in 1953, and due to the recent typhoon kiko that caused damaged i.e (leaks on the roof decks, dilapidated ceiling, damaged door and provision for Mechanical Exhaust equipment) in the area, the buildings therefore needs repair works to address. As such, immediate action is necessary to prevent further loss and damage of arts, specimens, including cultural and historical artifacts.

Relative to this, the execution for the necessary labor should be supervised by the NMP Batanes Branch and is by administration.

**II. OBJECTIVE**

To maintain the effective and efficient operation and to provide a satisfactory and safe physical environment for the public and the National Museum of the Philippine's collections.

**III. TECHNICAL SPECIFICATIONS**

Item No.	Minimum Specification	Qty	Unit
<b>I. SUPPLY &amp; DELIVERY OF WATERPROOFING MATERIALS FOR ROOF DECK</b>			
<b>1</b>	<b>Visitor's Center</b>	<b>200.00</b>	<b>sq.m</b>
	<i>Note: 3coats of Cementitious waterproofing + Concrete toppings</i>		
	a. 16Liters Flexible Cementitious Waterproofing(powermix)-refer to specs the proper coating coverage	19m.00	can
	b. 40kg Portland Cement	6.00	bags
	c. 4" Paint Brush	4.00	pcs
	d. 4" roller brush	2.00	set
	e. 6" roller brush	2.00	set
	g. Working Gloves(clothes)	6.00	pairs
	h. steel wire brush on 1ft wooden handle frame	3.00	pcs

	<b>concrete toppings(recommended for exposed area, such as roof deck)</b>		
	<i>20mm thick concrete toppings, Class A</i>		
	a. 40kg Portland Cement	74.00	bags
	b. sand	4.00	cu.m
<b>2</b>	<b>Library</b>	<b>156.64</b>	<b>sq.m</b>
	<i>Note: 3coats of Cementitious waterproofing + Concrete toppings</i>		
	a. 16Liters Flexible Cementitious Waterproofing(powermix)-refer to specs the proper coating coverage	15.00	can
	b. 40kg Portland cement	5.00	bags
	c. 4" Paint Brush	3.00	pcs
	d. 4" roller brush	1.00	set
	e. 6" roller brush	1.00	set
	g. Working Gloves(clothes)	4.00	pairs
	h. steel wire brush on 1ft wooden handle frame	2.00	pcs
	<b>concrete toppings(recommended for exposed area, such as roof deck)</b>		
	<i>20mm thick concrete toppings, Class A</i>		
	a. 40kg Portland cement	60.00	bags
	b. sand	3.13	cu.m
<b>II. REPAIR OF EXISTING CEILINGS</b>			
<b>1</b>	<b>Repair of Existing Ceiling at Visitor's Center</b>	<b>136.68</b>	<b>sq.m</b>
	<b>Visitor's Center, Admin Rm, &amp; Hallway</b>		
	a. 6mmthk x1.2mx2.40m thk ficem board	48.00	pcs
	a. 12mm thkx1.2mx2.40m moisture resistant gypsum board	8.00	pcs
	<b>Visitor'sCenter &amp; Toilets</b>	<b>92.21</b>	
	a. 2" x 75m mesh tape	10.00	rolls
	b. Jointing compound putty 5kg	7.00	packs
	c. ½"x1 ½" x5m, gauge no. 26 Carrying channel	18.00	pcs
	d. ¾"x2"x5m, gauge no. 26 Furring channel	35.00	pcs
	e. #8 hanger rod	76.00	pcs
	f. 2"x2"x0.5mm thk W-clip	148.00	pcs
	g. 1" Drive pin	76.00	pcs
	h. #8 Suspension clip	76.00	pcs
	i. 1"x1" Steel angle	76.00	pcs
	j. 1" Drywall screw	225.00	pcs
	k. Rod joiner	76.00	pcs
	l. 1"x1"x3.0m, gauge no. 26 Wall angle	21.00	pcs
	m. 25mm long screw	75.00	pcs
	<b>Replacement of Lights</b>		
	a. Surface mounted Industrial Prismatic Louver panel light 300x1200mm, 2pcs tube light(t8)	20.00	pcs
	b. Led 18watts Downlight w/ glass cover, center	24.00	pcs

	<i>frosted-cut/holed 180mm dia, aluminum housing, recessed type mounting</i>		
	<b>Painting of fiber cement ceiling</b>	<b>154.00</b>	<b>sq.m</b>
	(1 coat primer + 2 coats topcoat)		
	a. 4L Primer, white	7.00	cans
	b. 4L Top coat, flat-see existing wall color	11.00	cans
	c. 4" painting brush	3.00	pcs
	d. 2" painting brush	3.00	pcs
	e. Roller brush, tray set, 9" cylinder brush size, 10" paint tray	2.00	sets
	f. Grit 100 sanding paper	5.00	pcs

**III. SUPPLY & DELIVERY OF MAIN SAFETY SWITCH**

<b>1</b>	<b>Replacement of rusted main safety switch</b>	<b>1.00</b>	<b>set</b>
	Supply & Delivery of 125AT single phase Manual transfer switch(MTS) breaker type with common load busbar		
	a. Installation of MTS	<b>0.04</b>	<b>cum</b>
	30mm <sup>2</sup> thhn wire	10.00	meters
	electrical tape 19mmx8m black	4.00	ocs
	rubber tape, 24mmwide x 10ml x 0.5mm thick	4.00	pcs

**IV. SUPPLY & DELIVERY OF SHUTTER DOORS**

<b>1</b>	<b>Repair of Damage Typhoon shutter door</b>	<b>1.00</b>	<b>set</b>
	a. 1"x4" x8ft Local Treated Hardwood	17.00	pcs
	b. 2" x4" x 12ft Local Treated Hardwood	3.00	pcs
	d. 1" CWN	1.00	kg
	e. 2" CWN	1.00	kg
	f. 4" CWN	1.00	kg
	g. 4L wood preservatives	1.00	can
	h. Wood Primer, white	0.50	liter
	i. Topcoat, ODE (same color to existing)	1.00	liter
	j. Paint thinner	0.50	liter

**V. SUPPLY & DELIVERY OF FIXTURES**

<b>1</b>	<b>Supply &amp; Delivery of Fixtures</b>	<b>88.50</b>	<b>sq.m</b>
	a. 1 set of urinal with complete accessories same style and color to existing	1.00	set

**VI. SUPPLY & DELIVERY OF MECHANICAL EXHAUST FANS & ACCESSORIES FOR STRUCTURE 1**

<b>1</b>	<b>Mechanical Exhaust Materials</b>	<b>1.00</b>	<b>set</b>
	a. 1hp Centrifugal Exhaust fan (belt-type)- 220v, 60h, 1 phase-for intake & exhaust	2.00	set
	b. Circular diffuser (150mm-6" dia)	10.00	pcs
	c. 12mm dia. x 6m round full thread bar	10.00	pcs
	d. 4" pvc pipes x 3m	24.00	pcs
	e. 4" clevis hanger	10.00	pcs

	f. 4" 90deg pvc elbow	6.00	pcs
	g. 4" pvc tee	10.00	pcs
	g. 200cc pvc pipe cement	3.00	can
	h. Duck tape, 10cmx500cm	2.00	roll
	i. 10"dia.x3m Flexible aluminum duct	2.00	set
	i. 6"dia.x3m Flexible aluminum duct	10.00	set
	j. 4L Primer, enamel, white	1.00	cans
	k. 4L Top coat, (same to ceiling color at site)	2.00	cans
	l. 2" x6m x3mm thk. angle bar	2.00	cans
	l. 1/2" x2" Dyna bolt	8.00	pcs

**VII. SUPPLY & DELIVERY OF TOOLS & EQUIPMENTS**

1	Supply & Delivery of Equipment	1.00	lot
	a. <b>Electric Drill with drill bit set</b> -550 power, no load speed-28,000RPM, Chuck size-13mm, Blow per minute-45000RPM, Max drill capacity- wood 32mm, metal -13m, wall- 13mm for hummered type/heavy duty	2.00	set
	b. <b>Angled Grinder</b> Specs: 820W power, 100mm max discs diameter, 12,000 rpm load speed	2.00	set
	c. <b>Portable Circular Saw</b> 15amp motor, carbide tipped 7.25" blade, no load RPM-5100, electric brake included 57deg bevel, integrated dust blower	1.00	set
	d. <b>Electric planner</b> - continues rating input 620W, planning width 82mm(3-1/4), planning depth 2.5mm(3/32"), ship lapping 9mm(11/32") No-load- 17000RPM, net weight-2.8kg(6.2lbs), Power supply cord-2.5m(8.2ft)	1.00	set
	e. <b>Iron Jack planner</b> -plane base, size 350mm, plane base size-14"	1.00	set
	f. <b>Hand crosscut saw</b> -blade length 22", dimension- 64x16.5x3cm	1.00	set
	g. 4pcs heavy duty wood chisel set	1.00	set
	h. steel carpenter tri framing 16x24"	1.00	set
	i. 6pcs screw driver set	1.00	set
	j. cross cut saw	2.00	set
	k. Diesel fuel(for generator set operation)	1.00	drum
	l. Heavy Duty Extension Cord, #16/3Cx30m	2.00	set

**VIII. TRANSHIPMENTS**

1	Transshipment(from Manila to Batanes-door to door)	1.00	lot
---	--	------	-----

**V. SOURCE OF FUND**

Budget is available and should be chargeable against the General Fund under MOOE – Repair and Maintenance – Budget Allotment for FY 2022

**VI. APPROVED BUDGET FOR CONTRACT**

**Nine Hundred Thousand Pesos (Php 900,000.00)**, Inclusive of all applicable taxes.

**VII. COMPLETION TIME**

The Supplier shall perform and complete the supply & delivery for **35 Calendar Days** reckoned from the date stated in the Notice to Proceed (NTP) to be issued by **FMD**.

**VII. WARRANTY**

The Supplier shall provide a **Three (3) years** warranty against factory defects and any reduction on the minimum required material specification reckoned from the date of delivery and testing. Form of warranty shall be as specified in Section 62.2.3.3 of the IRR of R.A. 9184, the Government Procurement Reform Act and its Implementing Rules and Regulations.

**VIII. SUPPLIER'S ELIGIBILITY**

The Supplier is required to submit at least **One (1) similar contract/s** (e.g. projects completed that entailed supply of various construction materials) awarded and completed from **Y2016** up to present with as amount of at least **Fifty Percent (50%)** of the Approved Budget for the Contract (ABC).

The Supplier must be the authorized dealer/supplier and/or the manufacturer of the lighting fixtures being offered.

**XII. PRE-TERMINATION CLAUSE**

The contract is effective on the date indicated in the NTP and shall remain in full force for **One (1) year** or until terminated by either party (National Museum or Contractor) upon prior written notice by either party. Termination process shall follow the prescribed procedure under IRR-A R.A. 9184.

The National Museum reserves the right to pre-terminate the contract after **Fifteen (15) calendar days** via written notice to the Contractor, if in National Museum's opinion, after due verification of facts, the Contractor is not providing satisfactory services or is not complying with the Terms and Conditions of the Contract. The grounds for the termination of the Contractor by the National Museum include but not limited to the following:

1. Violation(s) of any of the terms and conditions of the Contract; and
2. Any other act or omission by the Contractor or its service technicians which is detrimental or prejudicial to the interest of the National Museum, its employee(s), or the public.



Prepared by

  
**AR. ROLDAN C. LAUREL**  
Architect II, FMD

Checked & Reviewed by:

  
**AR. NELSON M. AQUINO**  
Architect IV, FMD

Recommending Approval:

  
**ATTY. MA. ROSENNE M. FLORES-AVILA**  
Deputy Director General (Administrations)

Approved by:

  
**JEREMY BARNS, CESOS/III**  
Director-General